LCD Commercial Widescreen





"Your energy cost depends on your utility rates and use. The estimated cost is based on 11 cents per k Wh and 5 hours of use per day. For more information, visit www.ftc.gov/energy." $^{\prime\prime}$

¹FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011)).

Integrated HDTV

PUBLIC DISPLAY SETTINGS - CLONING CAPABLE

BED 1/2/3/4 CONTROLLABILITY when used with optional 124-213-10 remote

EcoSmartTM **Energy Saving Levels**

Rohs Compliant

AUTO SENSING REMOTE JACK PACK (RJP) COMPATIBLE*

DYNAMIC CONTRAST RATIO 60,000:1

NATIVE DISPLAY RESOLUTION 1920 x 1080 full HD 1080p (37"/42"/47" class) 1366 x 768 (32" class)

BUILT-IN ATSC/NTSC/QAM CLEAR TUNER

MPEG-2/MPEG-4 H.264 DECODING

INVISIBLE SPEAKER SYSTEM Hidden speaker grilles

LG'S EXCLUSIVE XD ENGINE®

MULTI REMOTE IR CODE

USB 2.0 MEDIA HOST FOR PHOTOS AND MUSIC

USB CLONING

CLEAR VOICE II

REAL CINEMATM

2 HDMITM INPUTS WITH HDCP V.1.3 with deep color

2 YEAR LIMITED WARRANTY (parts and labor)

Contact your LG Sales representative on the RJPs that are compatible with the LD452C series.





WHEN IT'S GREEN.

LG is committed to improving product development, manufacturing and usage to meet the demand for environmentally friendlier products. Our LD452C televisions have technologies to reduce power consumption and in return increase **cost savings** per room. We've also placed limits in the amounts of harmful materials used in these televisions.

- EcoSmart
- Energy Saving Levels Manually select your choice for the brightness level for the television.
- RoHS Compliant Meets directive on restriction of hazardous substances.

FEATURES



LG's newest core technology, Picture Wizard, enables easy selfcalibration by providing on-screen reference points for key picture quality elements such as black level, color, tint, sharpness and backlight levels. By using this easy-to-use calibration process, the picture setting can be set to better fit the type of room application.





Dramatizations

BED1/2/3/4 REMOTE CONTROLLABILITY (with optional remote)

LG TVs with Bed 1/2/3/4 function eliminates the remote control signal interference between TVs in multiple dwelling rooms. This system will work using the same LG TV model.





OPTIONAL ACCESSORY SIMPLE 7 BUTTON REMOTE

Resident / Simple 7 button sanitary membrane remote control. Model: 124-213-10 (sold separately)

USB 2.0 MEDIA HOST USB 2.0 will support JPG and MP3 files from a USB storage device.





ENERGY SAVING LEVELS

Manually select your choice for the brightness level for the television. By selecting Minimum, Medium, or Maximum, the power consumption will be reduced and an increase in energy savings can be achieved. (Note: Selecting minimum level may slightly increase power consumption on some models)



CONNECTIVITY

As a versatile addition to the TV viewing experience, LG's optional autosensing Remote Jack Packs (RJP)*, can serve as a multimedia hub that can be installed conveniently on a table or in a wall. Connect portable devices such as a laptop, mp3 player, or a digital camera to display images, play video or music from the set.






PUBLIC DISPLAY SETTINGS

When used in public areas, these HDTVs can be easily programmed by the installer to have the TV turn on at a specified channel/volume level, set the minimum/ maximum volume, lock out the control panel/remote, set the aspect ratio, and return to a factory reset. By using Power Management, these displays can be programmed to turn off if there has been no activity (remote or control panel buttons) for a preset time (1-7) hours.



USB CLONING

USB cloning will allow for easy transfer of Public Display Settings from the "Master TV" to an unlimited number of same type televisions.




invisible


SOUND IS HEARD, NOT SEEN


Enjoy a combination of smart technology and stylish design with the invisible speaker system custom tuned by audio expert Mr. Mark Levinson. This unique system provides a clean, polished look and an enhanced auditory experience by increasing the sweet spot and providing a wider sound field.




DIMENSIONS








MOUNTING HOLES ON STAND



REAR



SIDE



47LD452C 42LD452C 37LD452C 32LD452C 47" CLASS (47.0" MEASURED DIAGONALLY)

42" CLASS (42.0" MEASURED DIAGONALLY)

37" CLASS (37.0" MEASURED DIAGONALLY)

32" CLASS (31.5" MEASURED DIAGONALLY)

LCD SPECIFICATION

LCD SPECIFICATION	
Screen Size (Class)	47" class (47.0" measured diagonally)
	42" class (42.0" measured diagonally)
	37" class (37.0" measured diagonally)
Nation Disales Develotion	32" class (31.5" measured diagonally)
Native Display Resolution	1920 x 1080 (37",42", 47" class) 1366 x 768 (32" class)
Dynamic Contract Patio	60,000:1
Dynamic Contrast Ratio	178°/178°
Viewing Angle	10 Bit
Color Reproduction Response Time (G to G)	4ms
	Yes
True Viewing Angle	60,000 hrs
Lite Span (Typical) BROADCASTING SYSTEM	00,000 fils
	Yes
Analog	Yes
ATSC/NTSC/Clear QAM	
Video Codec: MPEG2/4 VIDEO	Yes
	1/ 0
Aspect Ratio	16:9
Aspect Ratio Correction	6 Modes (16:9/Just scan/Set by program /
	4:3/Zoom/Cinema Zoom)
Color Temperature Control	3 Modes (Cool/Medium/Warm)
Picture Status Mode	7 Modes (Vivid/Standard/Cinema/Sport/
L + C + (00)	Game/Expert 1/Expert 2)
Just Scan (0% over scan) HDMI	1080i/1080p/720p
Component	1080i/1080p/720p 1080i/1080p/720p
RF/DTV	1080i/720p
24p Real Cinema (24p 5:5/2:2 Pull down)	Yes
Eye Care (Anti Dazzling)	Yes
Fresh White	Yes
Expert Mode/ ISF Ready	Yes
AV Mode (Cinema/Game/Sport)	Yes
xvyCC	Yes
	Yes
DTV Signal Strength AUDIO	ies
	10)4/ 0
Audio Output	10W x 2
Invisible Speaker System Details	1 Way 2 Speaker
Dolby Digital 5.1 Decoder	Yes
Surround System Type	Infinite Sound
Bass/Treble/Balance Controls	Yes
Auto Volume Leveler	Yes
EZ Sound Mode/SSM	5 Modes
Clear Voice II	Yes
SPECIAL FEATURES	
XD Engine	Yes
Energy Saving Modes	Yes (Backlight Control, Video Mute)
EPG(SI)	Yes (Pro:Centric)
1080p Source Input	Yes HDMI/Component (60/30/24p),
	RGB (WXGA)
A/V Input Navigation	Yes
Input Labeling/Sub-title	Yes
LG SIMPLINK™ (HDMI CEC)	Yes
Parental Control w/V-Chip	Yes
Key Lock/Child Lock	Yes
Customizable Closed Caption/Sub-title	Yes
Splash Image - Logo (on start up)	Yes
Multi Remote IR code (Bed1/2/3/4)	Yes (with optional 124-213-10 remote)
Auto-Sensing RJP compatible	Yes (with select RJP versions)
Bed 1/Bed 2/Bed 3/Bed 4 Control	Yes
Picture Wizard	Yes
TVLink-Protocol (Tuner, Loader)	Yes
USB Cloning (USB Link Loader)	Yes
1080p Source Input	
HDMI	60p/30p/24p
Component	60p/30p/24p
RGB	WXGA
Quick View (Flashback)	Yes
e-Streamer	Yes (for shop mode)
OSD Language	4 (English/Spanish/French/Korean)
Quick Menu (Round Type-8 menus selectable)	Yes (Aspect Ratio/SAP/Picture Mode/Sound
	Mode/Audio/Sleep Timer/Ch Add/USB Eject)
Alvin UI	Yes
AIVIII OI	103

Installation /vienu	1es (vz.o)
CONVENIENCE FEATURES	
Auto Tuning/Programming	Yes
Channel Add/Delete	Yes
Favorite Channel Programming	Yes
Auto/Manual Clock	Yes
On/Off Timer	Yes
Sleep Timer	Yes
Auto Off/Auto Sleep (When no video is present)	Yes
AUDIO/VIDEO INPUTS/OUTPUTS	
RF In (Antenna/Cable)	1
L/R Audio/Composite Video In	1 (rear), 1 (side)
HD Component Video In (Y, Pb, Pr) + L/R Audi	01
Digital Audio Out (Optical)	<u> </u>
HDMI/HDCP Input (V1.3 with Deep Color)	1 (side), 1 (rear)
RGB In (D-Sub 15pin) - PC	1 (1920 x 1080)
PC Audio Input	1
RS-232c In (Control/Service)	1
USB 2.0 Input	1 (side) Media Host (JPEG, MP3),
03b 2.0 mpoi	Cloning, and Service
D	1
Remote Control Port In	
RJ45 (for RJP interface - non PIP)	1
CABINET/ACCESSORIES	
Cabinet Color	Glossy Black
Swivel Stand (degrees)	+20°/-20°
Top Side Mounting Screw	Yes
TORX Security Screw (2 each)	Yes
TORA Security Screw (2 each)	
Power Indicator	Yes (on/off)
Fire Retardant Cabinet Material	Yes
Kensington Security System Slot	Yes
VESA® Mount Compatible	Yes
Remote Control	Yes
POWER	
	100V - 240V, 50/60 Hz
Voltage, Hz	
Stand-by Mode (typ.)	0.2W (EPA 4.0)
Power Consumption Max	180W (32" class), 200W (37" class)
	260W (42" class), 330W (47" class)
Power Consumption Typical	78W (32" class), 95W (37" class) 115W (42" class), 138W (47" class)
	115W (42" class), 138W (47" class)
Dynamic Power Savings	Yes
Static Power Savings	Yes
REQUIRED APPROVALS	
RoHS Compliant	Yes
UL, cUL, NOM	Yes
DIMENSIONS & WEIGHT	
TV without stand (WxHxD)	31.5" x 19.9" x 2.9" (32" class)
	36.1" x 22.6" x 3.0" (37" class)
	40.3" x 25.0" x 3.0" (42" class)
	36.1" x 22.6" x 3.0" (37" class) 40.3" x 25.0" x 3.0" (42" class) 44.7" x 27.5" x 3.0" (47" class)
TV with stand (WxHxD)	31.5" x 21.9" x 8.1" (32" class)
	36.1" x 24.6" x 10.3" (37" class)
	40.3" x 2/.0" x 10.3" (42" class)
	44.7" x 29.8" x 10.6" (47" class)
Shipping Dimensions (WxHxD)	38.0" x 23.2" x 7.5" (32" class)
omphing piniensions (AAXI IXD)	39.2" x 26.0" x 9.0" (37" class)
	43 A" × 30 3" × 0 0" (40" -1)
	43.6" x 30.3" x 9.0" (42" class)
TV	48.8" x 31.6" x 10.0" (47" class)
TV without stand weight	17.9 lbs (32" class)
	23.8 lbs (37" class)
	29.8 lbs (42" class)
	38.6 lbs (47" class)
TV with stand weight	20.1 lbs (32" class)
-	27.6 lbs (37" class)
	33.3 lbs (42" class)
	43.0 lbs (47" class)
Shipping Weight	24.9 lbs (32" class) 35.1 lbs (37" class)
	35.1 lbs (37" class)
	41.7 lbs (42" class)
	52.7 lbs (47" class)
SERVICE/LIMITED WARRANTY	2 Years (Parts/Labor)
UPC CODE	1 7 1
	7 10100 00004 /
32LD452C	7 19192 90204 6
37LD452C	7 19192 90205 3
42LD452C	7 19192 90206 0
47LD452C	7 19192 90207 7
Optional Accessory 124-213-10	7 19192 90191 9

Yes Yes (v2.6)

Function Menu

Installation Menu

www.LGsolutions.com

LG Electronics U.S.A., Inc. Commercial Displays 2000 Millbrook Drive Lincolnshire, IL 60069

Customer Service: 888.865.3026 www.LGsolutions.com/support

Contact your LG Regional Sales Representative Vertical Markets: 800.897.8788 Channel: 800.897.8871 Hospitality: 800.228.1236 E-mail: info@(Gsolutions.com

77.8871 Trus 28.1236 VES ions.com brai

All screen images are simulated. Dimensions and weights are approximate. Design, features and specifications subject to change without notice.

MDDE ISS (SIMPLINK HOME) Sulved Stand USB ENGINE

invisible

© Copyright 2011 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp. XD Engine is a registered trademark of LG Electronics, Inc. HealthView and EcoSmard are trademarks of LG Corp. Dolby and the doubleD symbol are registered trademarks of Dolby Laboratories. SRS and the SRS symbol, TruSurround XT and WOW are trademarks or registered trademarks of SRS Labs, Inc. VESA is a trademark of Video Electronics Standards Association. All other product and brand names are trademarks or registered trademarks of their respective companies.



Life's Good

Picture | Smart Volume | Controller

FULL DIDOLBY SRS(O) VOICE