



Applications:

- Net PC
- Notebook
- Tablet PC
- LCD monitor
- Portable equipment
- Telecommunication Equipment
- Industrial Microcomputers

Features:

- Desktop Type
- Universal input
- Built-in Class B EMI filter
- Fully regulated output
- Over voltage protection
- Over power protection
- Short circuit protection
- Super high efficiency 87%
- No load consumption 0.3W

Dimension:

L115.4 x W47 x H34.5 mm

Output Specifications:

Model	Output power	Min. Load	Max. Load	Total power	Efficiency
SSA-0601D-12	12V	0A	5A	60W	87%
SSA-0601D-19	19V	0A	3.16A	60W	87%
SSA-0601D-24	24V	0A	2.5A	60W	87%
SSA-0501D-12	12V	0A	4.17A	50W	87%
SSA-0501D-19	19V	0A	2.64A	50W	87%
SSA-0501D-24	24V	0A	2.09A	50W	87%
SSA-0401D-12	12V	0A	3.4A	40W	87%

General Specifications:

- Input voltage range: 90~264 Vac
- Input frequency: 47~63 Hz
- Input current: 2A (rms)
- Efficiency: 87% Average
- Leakage current: 3.5mAa max.
- Compliance CEC Level V and Eup Lot 7 and Energy Star 2.0

Safety: CB, CUL, TUV, CCC, PSE, BSMI, MEPS

EMC: CE, FCC, C-tick ,

Sea Sonic Electronics Co., Ltd.
www.seasonic.com
sales@seasonic.com.tw
Tel: +886 2 2659 0338
Fax: +886 2 2659 0530

Seasonic Electronics Inc.
www.seasonicusa.com
usa@seasonic.com
Tel: +1 626 969 9966
Fax: +1 626 969 9986

Sea Sonic Europe B.V.
europe@seasonic.com
Tel: +31 (0)10-2262131
Fax: +31 (0)10-2519947