



Embedded Engine Board

HS-4703

800MHz FSB Pentium 4 Embedded Engine Board with Serial ATA, CRT/LVDS Panel, Audio, Giga LAN & TV-Out

- ★ 800MHz FSB
- ★ DDR
- ★ PCI Slot
- ★ CRT/LVDS Panel
- ★ TV-Out
- ★ Giga LAN
- ★ Audio
- ★ Serial ATA
- ★ ATA/33/66/100
- ★ RS-232/422/485
- ★ 4 COM
- ★ USB2.0
- ★ WDT
- ★ H/W Monitor



★ Ordering Guide

- **HS-4703**
800MHz FSB Pentium 4 Embedded Engine Board with CRT/LVDS Panel, Audio & LAN

- | | | | | |
|-----------------------|-----------------------------|------------------|---------------|---------------------|
| 1 Fan | 8 COM 4 | 15 Fan | 22 Parallel | 28 PS/2 Keyboard |
| 2 20-pin ATX Power In | 9 COM 3 | 16 Intel 82865GV | 23 FDD | 29 COM 1 |
| 3 4-pin ATX Power In | 10 24-bit Panel Connector | 17 Award BIOS | 24 GPIO | 30 COM 2 |
| 4 PCI Slot | 11 24-bit Panel Connector | 18 Intel 82801ER | 25 Battery | 31 COM 2 |
| 5 RS-422/485 | 12 DDR Socket | 19 IDE | 26 SATA | 32 CRT |
| 6 Internal USB | 13 PGA 479 | 20 IDE | 27 SATA | 33 MIC In/Audio Out |
| 7 Internal USB | 14 Intel 82562EX or 82547EI | 21 AC97 | 28 PS/2 Mouse | 34 RJ-45 |
| | | | | 35 External USB |

★ Features

- PGA 478 for Intel Pentium 4 up to 3.06GHz CPU
- Supports 400/533/800MHz FSB
- One DDR socket with a max. capacity of 1GB
- Intel 82865GV/82801ER system chipset
- Winbond W83627HF and Fintek F81216D super I/O chipset
- Intel 82865GV CRT display controller
- Intel 82562EX 10/100 Based or 82547EI 100/1000 Based LAN

★ Specifications

- * **CPU:** PGA 478 for Intel Pentium 4 (0.13 micron/512KB L2 cache) up to 3.06GHz CPU
- * **Bus Interface:** PCI Bus
- * **Front Side Bus:** Supports 400/533/800MHz FSB
- * **Memory:** One DDR socket supporting DDR-333/400 up to 1GB
- * **Chipset:** Intel 82865GV/82801ER
- * **I/O Chipset:** Winbond W83627HF and Fintek 81216D
- * **PCI Slot:** One standard PCI slot
- * **VGA:** Intel 82865GV supporting CRT display up to 1600 x 1200
- * **LVDS Panel:** Supports 48-bit dual channel LVDS Panel interface (optional)
- * **TV-Out:** Supports PAL or NTSC TV systems (optional)
- * **LAN:** Intel 82562EX 10/100 Based or 82547EI 100/1000 Based LAN
- * **Audio:** AC97 3D audio controller
- * **Serial ATA:** Intel ICH5 controller and with two ports supporting transfer rate up to 150MB/sec.
- * **IDE:** Four IDE disk drives supporting ATA/33/66/100 and with transfer rates of 33/66/100MB/sec.

- AC97 3D audio controller
- Supports Serial ATA controller
- Fast PCI ATA/33/66/100 IDE controller
- Four COM, eight USB2.0 connectors
- Supports Hardware Monitor
- Supports LVDS Panel interface (optional)
- Supports TV-Out function (optional)

- * **FDD:** Supports up to two floppy disk drives
- * **Parallel:** One enhanced bi-directional parallel port supporting SPP/ECP/EPP
- * **Serial Port:** 16C550 UART-compatible RS-232/422/485 x 1 and RS-232 x 3 serial ports with 16-byte FIFO
- * **USB:** Eight USB2.0 connectors
- * **Keyboard:** PS/2 6-pin Mini DIN
- * **Mouse:** PS/2 6-pin Mini DIN
- * **BIOS:** Award PnP Flash BIOS
- * **Watchdog Timer:** Software programmable time-out intervals from 1~256 sec.
- * **CMOS:** Battery backup
- * **Power Connector:** One 20-pin and one 4-pin ATX power connector
- * **Temperature:** 0~60°C (operating); -20~+80°C (storage)
- * **Hardware Monitor:** Winbond W83627HF
- * **Dimensions:** 20.3(L) x 14.6(W) x 3.3(H) cm



BOSER Technology Co., Ltd.

15F-6, No. 77, Hsin Tai Wu Road, Sec. 1, Hsichih, Taipei Hsien 221 Taiwan TEL : 886-2-26983333 FAX : 886-2-26983300
<http://www.boser.com.tw> <http://www.isb.com.tw> <http://www.ipc.com.tw> E-Mail: webmaster@boser.com.tw

U.S.A.
 TEL : +1 650 4280868
 FAX : +1 650 4281172

U.K.
 TEL : +44 1543 466552
 FAX : +44 1543 466553

GERMANY
 TEL : +49 221 954790
 FAX : +49 221 9547988

ITALY
 TEL : +39 051 452042
 FAX : +39 051 455046

KOREA
 TEL : +82 2 34737862
 FAX : +82 2 34743120

ISRAEL
 TEL : +972 3 9203456
 FAX : +972 3 9203535



FRANCE
 TEL : +33 1 69061790
 FAX : +33 1 69433732

FINLAND
 TEL : +358 2 6203753
 FAX : +358 2 6203770



SHANGHAI
 TEL : 021 63676295~8
 FAX : 021 63676286

Intel®
 Communications
 Alliance
 Affiliate Member