


NANO-8044

Intel® Ultra Low Power Atom™ Processor based Nano-ITX Board with dual display, Gigabit Ethernet, Audio, USB and SDIO



FEATURES

- Intel® Atom™ processor Z510 / Z530 and System Controller Hub US15W
- One 200-pin SO-DIMM supports DDR2 SDRAM up to 2GB
- Dual independent display: VGA and 24bit LVDS
- One Type II Compact Flash & one IDE connector
- One Intel® Gigabit Ethernet

NANO-8044 takes advantage of the latest Intel® Atom™ technologies. It supports DDR2 SDRAM, dual displays, one Gigabit Ethernet and one expansion PCI-Express x1 slot. Base

on leading Intel® Atom™ solution, NANO-8044 is a compact and ultra low power dissipation board for Medical, Gaming and DSS applications.

SYSTEM	
CPU	Intel® Atom™ processor Z510 / Z530
FSB	400/533MHz
BIOS	AMI BIOS
Chipset	Intel® System Controller Hub US15W
System Memory	One 200pin SO-DIMM support DDR2 533/400 up to 2GB
Storage	- 1x 44 pin IDE - 1 x CF - 1 x SD
Watchdog Timer	Programmable via S/W from 1sec. to 255min.
H/W Monitor	- Temperature (CPU and System) - Voltage (CPU Vcore, VBAT, 5VSB, 12V, 5V, 3.3V)
GPIO	On board programmable 8-bit Digital I/Os
Expansion	One PCI-Express x1 slot


On Board I/O	
USB	Two USB 2.0 ports, Pitch 2.00mm
Others	One 24 bits LVDS, 8bit GPIO pin header, one SD

Rear I/O	
Serial Port	One RS232/422/485 port
Display	One VGA
Gigabit Ethernet	One RJ-45 LAN port
USB	Four USB 2.0 ports
Audio Interface	Line-out and Mic-in

DISPLAY	
Graphic Controller	Intel® System Controller Hub US15W integrated GMA 500 Graphics device
Display Interface	VGA / 24-bit LVDS

MECHANICAL & ENVIRONMENTAL	
Operating Temperature	0-60°C
Storage Temperature	-20-80°C
Operating Humidity	5-95% non-condensing
Dimension	120mm x 120mm

REAR I/O



ORDERING GUIDE

- **NANO-8044-1100**
Intel® Atom™ processor Z510 Nano-ITX Board
- **NANO-8044-1600**
Intel® Atom™ processor Z530 Nano-ITX Board
- **PER-4110R**
One slot PCI-E x1 riser card

* Specifications are subject to change without notice.
* Intel® ATOM™ are registered trademarks of Intel® Corporation.
* Other trademarks, logo, brands and company names are the property of their respective owners.



Portwell, Inc. Headquarters
4F, No. 186, Jian-Yi Rd., Chung-Ho City,
235 Taipei, Taiwan
Tel: +886-2-77318888
Fax: +886-2-82271109
E-mail: info@portwell.com.tw
http: //www.portwell.com.tw

American Portwell
Fremont Tel: +1-510-403-3399
Norcross Tel: +1-678-969-9808
E-mail: info@portwell.com
http: //www.portwell.com

Portwell Japan, Inc.
Tokyo Tel: +81-3-5298-8071
Osaka Tel: +81-6-4791-2201
E-mail: info@portwell.co.jp
http: //www.portwell.co.jp

Beijing Portwell
Beijing Tel: +86-10-82701616
Shanghai Tel: +86-21-3222-0505
Shenzhen Tel: +86-755-8621-7695
E-mail: info@portwell.com.cn
http: //www.portwell.com.cn

Portwell-Laxsons India
Tel: +91-22-2685-9911
E-mail: info@portwellaxsons.com
http: //www.portwellaxsons.com

Portwell, B.V.
Tel: +31-252-620790
E-mail: info@portwell.nl
http: //www.portwell.nl

Portwell (UK) Ltd.
Tel: +44(0)1235-750760
E-mail: info@portwell.co.uk
http: //www.portwell.co.uk