






**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	CR0205LB-G50 - 032600	25x25x10	5	0.50	2 Ball	1.60	2.67	15.60	
Cooltron	FD2510B05W3-71			0.50	2 Ball	1.60	4.30	18.90	
	FD2510B05W5-11			0.40	2 Ball	1.60	2.20	17.50	
Rotron	CR0212LB-G50 - 032602		12	0.80	2 Ball	1.60	2.67	15.60	
Cooltron	FD2510B12W3-71			0.72	2 Ball	1.60	4.30	18.90	
	FD2510B12W5-11			0.64	2 Ball	1.60	2.20	17.50	
Rotron	GDA2510-12BB			1.20	2 Ball	2.70	4.32	27.40	
Cooltron	FD2510B12W9-11			1.14	2 Ball	2.50	5.40	23.30	
	FD2510B12W9-71			1.56	2 Ball	2.90	8.00	29.40	
Rotron	CR4505MB-G70 - 032634	45x45x10	5	0.80	2 Ball	6.90	1.73	21.60	
Cooltron	FD4510B05W3-81			0.90	2 Ball	8.30	1.70	21.80	
Rotron	CR4505HB-G70 - 032632			1.00	2 Ball	8.30	2.44	26.20	
Cooltron	FD4510B05W5-81			1.40	2 Ball	10.30	2.50	27.50	
Rotron	CR4512MB-G70 - 032638		12	0.80	Ball	6.90	1.73	21.60	
Cooltron	FD4510B12W3-81			1.20	2 Ball	8.30	1.70	21.60	
Rotron	CR0405MB-G70 - 032606	40x40x10	5	0.60	2 Ball	4.70	1.70	20.00	
Cooltron	FD4010B05W3-81			0.80	2 Ball	5.60	1.50	20.10	



**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	CR0405HB-G70 - 032604	40x40x10	5	0.90	2 Ball	6.80	3.28	25.00	 <p>FD4010-81</p>
Cooltron	FD4010B05W7-71			0.80	2 Ball	6.60	3.40	25.50	
	FD4010B05W5-81			0.95	2 Ball	7.40	2.20	23.10	
Rotron	CR0405LB-C50 - 032620			0.70	2 Ball	7.50	4.06	22.40	
Cooltron	FD4010B05W5-81			0.95	2 Ball	7.40	2.20	23.10	
Rotron	CR0412MB-G70 - 032610			12	1.00	2 Ball	4.70	1.70	
Cooltron	FD4010B12W3-81		1.68		2 Ball	5.60	1.50	20.10	
Rotron	CR4512HB-G70 - 032636		1.10		2 Ball	8.30	2.44	26.10	
Cooltron	FD4010B12W7-81		2.16		2 Ball	8.80	3.20	27.20	
Rotron	CR0412HB-G70 - 032608		1.20		2 Ball	6.80	3.28	25.00	
Cooltron	FD4010B12W5-81		1.92		2 Ball	7.40	3.20	23.10	
Rotron	GDA4010-12BB		1.10	2 Ball	7.00	3.30	30.50	 <p>FD4010-71</p>	
Cooltron	FD4010B12W5-81		1.92	2 Ball	7.40	2.20	23.10		
	FD4010B12W7-81		2.16	2 Ball	8.80	3.20	27.20		
Rotron	CR0424MB-G70 - 032614		24	1.20	2 Ball	4.70	1.70		20.00
Cooltron	FD4010B24W5-82			2.16	2 Ball	5.70	1.60		24.50
	FD4010B24W3-71			0.72	2 Ball	4.60	2.40		20.50
Rotron	CR0424HB-G70 - 032612			1.70	2 Ball	6.80	3.28	25.00	
Cooltron	FD4010B24W7-71			1.20	2 Ball	6.60	3.40	25.50	
Rotron	GDA4010-24BB			2.20	2 Ball	7.00	3.30	30.50	
Cooltron	FD4010B24W7-82	2.40	2 Ball	7.50	2.10	28.80			




**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	CR0405MB-C50 - 032618	40x40x20	5	0.80	2 Ball	8.50	4.83	28.50	
Cooltron	FD4020B05W5-81			1.90	2 Ball	9.10	3.20	26.00	
Rotron	CR0405HB-C50 - 032616			1.50	2 Ball	10.00	6.50	31.90	
Cooltron	FD4020B05W7-81			2.20	2 Ball	10.20	3.80	31.00	
	FD4020B05W9-81			2.50	2 Ball	10.90	5.50	35.20	
Rotron	CR0412HB-C50 - 032622			12	1.20	2 Ball	10.00	6.50	
Cooltron	FD4020B12W7-81		2.40		2 Ball	10.20	3.80	31.00	
	FD4020B12W9-81		2.88		2 Ball	10.90	5.50	35.20	
Rotron	CR0412MB-C50 - 032624		1.00		2 Ball	8.50	4.83	28.50	
Cooltron	FD4020B12W5-81		2.40		2 Ball	9.10	3.20	26.00	
Rotron	CR0412LB-C50 - 032626		0.80		2 Ball	7.50	4.06	25.00	
Cooltron	FD4020B12W3-81		1.92	2 Ball	7.40	2.20	23.30		
Rotron	GDA4020-12BB		1.40	2 Ball	8.30	6.35	30.90		
Cooltron	FD4020B12W5-81		2.40	2 Ball	9.10	3.20	26.00		
Rotron	CR0424MB-C50 - 032630		24	1.70	2 Ball	8.50	4.83	28.50	
Cooltron	FD4020B24W5-81			2.64	2 Ball	9.10	3.20	26.00	
Rotron	CR0424HB-C50 - 032628			2.20	2 Ball	10.00	6.50	31.90	
Cooltron	FD4020B24W7-81			3.12	2 Ball	10.20	3.80	31.00	
	FD4020B24W9-81	3.60		2 Ball	10.90	5.50	35.20		
Rotron	GDA4020-24BB	1.70		2 Ball	8.30	6.35	30.90		
Cooltron	FD4020B24W5-81	2.64	2 Ball	9.10	3.20	26.00			





**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Rotron	GDA4028-12BB	40x40x28	12	2.40	2 Ball	11.00	8.64	31.40		
Cooltron	FD4028B12W5-11			2.16	2 Ball	11.50	8.80	37.80		
Rotron	CR0505MB-G90 - 032646	50x50x10	5	0.60	2 Ball	8.50	1.70	24.90		
Cooltron	FD5010B05W5-81			1.20	2 Ball	9.70	2.00	26.10		
	FD5010B05W3-61			0.70	2 Ball	8.90	1.60	21.30		
Rotron	CR0505HB-G90 - 032644			0.80	2 Ball	9.80	2.03	28.60		
Cooltron	FD5010B05W5-81			1.20	2 Ball	9.70	2.00	26.10		
	FD5010B05W5-61			10.00	2 Ball	11.30	2.60	27.20		
Rotron	CR0505HB-D71 - 032656			1.30	2 Ball	12.00	4.14	28.70		
Cooltron	FD5010B05W7-61			1.50	2 Ball	13.60	3.40	31.00		
Rotron	CR0512MB-G90 - 032650			12	0.80	2 Ball	8.50	1.70		24.90
Cooltron	FD5010B12W3-61				0.84	2 Ball	8.90	1.60		21.30
	FD5010B12W5-81				1.32	2 Ball	9.70	2.00		26.10
Rotron	CR0512HB-D71 - 032660				1.20	2 Ball	12.00	4.14		28.70
Cooltron	FD5010B12W7-61				1.93	2 Ball	13.60	3.40		31.00
Rotron	GDA5210-12BB				1.70	2 Ball	12.00	3.56		35.80
Cooltron	FD5010B12W9-81	1.68	2 Ball		12.80	3.40	33.10			



**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	CR0512HB-G90 - 032648	50x50x10	12	1.00	2 Ball	9.80	2.03	28.60	 FD5010-81
Cooltron	FD5010B12W5-81			1.32	2 Ball	9.70	2.00	26.10	
	FD5010B12W5-61			0.96	2 Ball	11.30	2.60	27.20	
Rotron	CR0524MB-G90 - 032654		24	1.90	2 Ball	8.50	1.70	24.90	
Cooltron	FD5010B24W5-81			2.40	2 Ball	9.70	2.00	26.10	
Rotron	CR0524HB-G90 - 032652			2.20	2 Ball	9.80	2.03	28.60	
Cooltron	FD5010B24W5-81			2.40	2 Ball	9.70	2.00	26.10	
	FD5010B24W5-61			2.40	2 Ball	9.70	2.00	26.10	
Rotron	CR0505MB-D71 - 032658	50x50x15	5	0.80	2 Ball	9.70	2.64	22.60	 FD5015-11
Cooltron	FD5015B05W3-11			0.96	2 Ball	12.40	2.10	23.80	
Rotron	CR0512MB-D71 - 032662		12	1.10	2 Ball	9.70	2.64	22.60	
Cooltron	FD5015B12W3-11			1.02	2 Ball	12.40	2.10	23.80	
Rotron	CR0524MB-D71 - 039292		24	1.70	2 Ball	9.70	2.64	22.60	
Cooltron	FD5015B24W3-11			1.68	2 Ball	12.40	2.10	23.80	
Rotron	FS05H3 - 031765	60x60x25	5	1.00	2 Ball	12.00	3.68	28.50	 FD6025-81
Cooltron	FD6025B05W3-81			1.75	2 Ball	22.40	3.60	30.40	
Rotron	FS05B3 - 031963			2.00	2 Ball	18.00	7.62	33.90	
Cooltron	FD6025B05W5-81			2.50	2 Ball	24.30	5.00	34.60	
Rotron	CR0612LB-A70GL - 032708		12	1.00	2 Ball	13.00	1.57	16.10	
Cooltron	FD6025B12W2-71			0.96	2 Ball	13.60	1.20	18.40	

**Cross List - Cooltron vs Comair Rotron**



Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	FS12H3 - 031158	60x60x25	12	1.00	2 Ball	12.00	3.68	28.50	
Cooltron	FD6025B12W3-81			2.40	2 Ball	22.40	3.60	30.40	
	FD6025B12W5-71			1.68	2 Ball	21.70	4.80	28.40	
	FD6025B12W5-21			1.44	2 Ball	20.80	3.90	28.60	
Rotron	FS12B3 - 031156			2.50	2 Ball	18.00	7.62	33.90	 FD6025-71
Cooltron	FD6025B12W5-81			3.00	2 Ball	24.30	5.00	34.60	
	FD6025B12W7-71			2.64	2 Ball	27.10	7.20	33.30	
	FD6025B12W7-21			2.16	2 Ball	26.20	5.70	33.00	
Rotron	CR0612HB-A70GL - 032704			2.50	2 Ball	23.00	4.70	32.30	 FD6025-81
Cooltron	FD6025B12W5-81			3.00	2 Ball	24.30	5.00	34.60	
	FD6025B12W7-71			2.64	2 Ball	27.10	7.20	33.30	
	FD6025B12W7-21			2.16	2 Ball	26.20	5.70	33.00	
Rotron	GDA6025-12BB			1.70	2 Ball	18.00	4.06	26.10	 FD6025-81
Cooltron	FD6025B12W5-21			1.44	2 Ball	20.80	3.90	28.60	
	FD6025B12W5-71			1.68	2 Ball	21.70	4.80	28.40	
Rotron	CR0612MB-A70GL - 032706			1.70	2 Ball	18.00	2.95	24.00	
Cooltron	FD6025B12W5-21		1.44	2 Ball	20.80	3.90	28.60		
	FD6025B12W5-71		1.68	2 Ball	21.70	4.80	28.40		
Rotron	FS24B3 - 031157		24	1.90	2 Ball	18.00	7.62	33.90	
Cooltron	FD6025B24W5-81			3.84	2 Ball	24.30	5.00	34.60	
	FD6025B24W7-71	3.36		2 Ball	27.10	7.20	33.30		
	FD6025B24W7-21	2.16		2 Ball	26.20	5.70	33.00		

**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image		
Rotron	CR0624HB-A70GL - 032710	60x60x25	24	1.90	2 Ball	23.00	4.70	32.30	 <p>FD6025-81</p> <p>FD6025-21</p>		
Cooltron	FD6025B24W5-81			3.84	2 Ball	24.30	5.00	34.60			
	FD6025B24W7-71			3.36	2 Ball	27.10	7.20	33.30			
	FD6025B24W7-21			2.16	2 Ball	26.20	5.70	33.00			
Rotron	GDA6025-24BB			3.40	2 Ball	18.00	4.06	26.10			
Cooltron	FD6025B24W5-21			1.68	2 Ball	20.80	3.90	28.60			
	FD6025B24W5-71			2.40	2 Ball	21.70	4.80	28.40			
Rotron	CR0624MB-A70GL - 032712			3.40	2 Ball	18.00	2.95	24.00			
Cooltron	FD6025B24W5-21			1.68	2 Ball	20.80	3.90	28.60			
	FD6025B24W5-71			2.40	2 Ball	21.70	4.80	28.40			
Rotron	FS48B3 - 031799			48	48	2.60	2 Ball	18.00		7.62	33.90
Cooltron	FD6025B48W5-81					3.84	2 Ball	24.30		5.00	34.60
	FD6025B48W7-21	4.32	2 Ball			26.20	5.70	33.00			
Rotron	CR0605LB-G90 - 032668	60x60x10	5	3.40	2 Ball	11.90	1.50	23.10	 <p>FD6010-81</p>		
Cooltron	FD6010B05W1-81			1.75	2 Ball	12.60	1.55	26.40			
Rotron	CR0605MB-G90 - 032666			1.10	2 Ball	14.10	2.16	28.50			
Cooltron	FD6010B05W2-81			2.25	2 Ball	14.50	2.20	31.20			
Rotron	CR0605HB-G90 - 032664			1.40	2 Ball	17.00	2.87	32.80			
Cooltron	FD6010B05W2-81			2.25	2 Ball	14.50	2.20	31.20			
Rotron	CR0612LB-G90 - 032674			12	12	1.30	2 Ball	11.90		1.50	23.10
Cooltron	FD6010B12W1-81					1.80	2 Ball	12.60		1.55	26.40
	FD6010B12W2-71					1.56	2 Ball	14.80		2.00	26.40





**Cross List - Cooltron vs Comair Rotron**


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	CR0612HB-G90 - 032670	60x60x10	12	1.70	2 Ball	17.00	2.87	32.80	 FD6010-71
Cooltron	FD6010B12W3-81			3.00	2 Ball	17.30	3.10	35.60	
	FD6010B12W3-71			2.04	2 Ball	18.30	2.90	30.70	
Rotron	CR0624LB-G90 - 032680		24	1.70	2 Ball	11.90	1.50	23.10	
Cooltron	FD6010B24W1-81			2.40	2 Ball	12.60	1.55	23.10	
Rotron	CR0624MB-G90 - 032678			2.10	2 Ball	14.10	2.16	28.50	
Cooltron	FD6010B24W2-81			3.12	2 Ball	14.50	2.20	31.20	
Rotron	CR0624HB-G90 - 032676			2.10	2 Ball	17.00	2.87	32.80	
Cooltron	FD6010B24W3-81			3.84	2 Ball	17.30	3.10	35.60	
Rotron	CR0612LB-C70GL - 032698	60x60x20	12	1.00	2 Ball	13.00	2.39	21.60	 FD6020-71
Cooltron	FD6020B12W2-81			1.44	2 Ball	13.60	2.00	22.30	
	FD6020B12W3-71			1.44	2 Ball	17.00	2.60	23.10	
Rotron	CR0612MB-C70GL - 032696			1.60	2 Ball	14.00	2.77	25.70	
Cooltron	FD6020B12W3-81			1.68	2 Ball	16.50	2.90	25.60	
	FD6020B12W3-71			1.44	2 Ball	17.00	2.60	23.10	
Rotron	CR0612HB-C70GL - 032694			1.90	2 Ball	16.40	3.48	29.70	
Cooltron	FD6020B12W5-81			1.92	2 Ball	19.30	3.70	30.00	
	FD6020B12W5-71			2.04	2 Ball	20.90	3.80	28.20	




**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	CR0605MB-D71GL - 032684	60x60x15	5	1.30	2 Ball	14.20	2.95	28.80	 <p>FD6015-81</p>
Cooltron	FD6015B05W3-81			2.75	2 Ball	15.80	2.30	24.10	
	FD6015B05W7-71			1.25	2 Ball	15.90	1.60	27.70	
Rotron	CR0605HB-D71GL - 032682			1.90	2 Ball	16.60	3.81	32.40	
Cooltron	FD6015B05W5-81			3.50	2 Ball	20.70	3.80	29.80	
Rotron	CR0612MB-D71GL - 032688			12	1.30	2 Ball	14.20	2.95	
Cooltron	FD6015B12W3-81		1.80		2 Ball	15.80	2.30	24.10	
	FD6015B12W3-82		1.80		2 Ball	14.90	2.30	26.30	
	FD6015B12W7-71		1.68		2 Ball	15.90	1.60	27.70	
Rotron	CR0612HB-D71GL - 032686		1.60		2 Ball	16.60	3.81	32.40	
Cooltron	FD6015B12W5-81		3.00		2 Ball	20.70	3.80	29.80	
	FD6015B12W5-82		3.00	2 Ball	18.90	3.70	32.00		
	FD6015B12W7-71		1.68	2 Ball	16.90	2.00	25.60		
Rotron	CR0624MB-D71GL - 032692		24	1.70	2 Ball	14.20	2.95	30.70	 <p>FD6015-71</p>
Cooltron	FD6015B24W3-81			2.40	2 Ball	15.80	2.30	24.10	
	FD6015B24W5-81			3.60	2 Ball	20.70	3.80	29.80	
Rotron	CR0624HB-D71GL - 032690			2.20	2 Ball	16.60	3.81	33.30	
Cooltron	FD6015B24W5-81			3.60	2 Ball	20.70	3.80	29.80	
Rotron	GDA8025-12BB	80x80x25		12	2.00	2 Ball	35.00	3.30	
Cooltron	FD8025B12W7-85		2.88		2 Ball	32.40	3.50	29.20	
	FD8025B12W7-71		2.04		2 Ball	40.00	3.60	27.00	





**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Cooltron	FD8025B12W5-21	80x80x25	12	1.56	2 Ball	38.00	3.70	31.00		
	FD8025B12W7-61			2.76	2 Ball	42.20	3.40	32.00		
	FD8025B12W7-82			2.88	2 Ball	42.20	3.00	34.60		
Rotron	GDA8025-24BB		24	3.60	2 Ball	35.00	3.30	30.80		
Cooltron	FD8025B24W5-21			1.92	2 Ball	38.00	3.70	31.00		
	FD8025B24W7-61			3.60	2 Ball	42.20	3.40	32.00		
	FD8025B24W7-82		2.88	2 Ball	42.20	3.00	34.60			
Rotron	FE12H3 - 031164		12	1.00	2 Ball	27.00	3.12	28.90		
Cooltron	FD8025B12W7-62			1.32	2 Ball	31.00	4.40	29.10		
	FD8025B12W5-21			1.56	2 Ball	38.00	3.70	31.00		
	FD8025B12W7-82			2.88	2 Ball	42.20	3.00	34.60		
	FD8025B12W7-85			2.88	2 Ball	32.40	3.50	29.20		
	FD8025B12W7-61			2.76	2 Ball	42.20	3.40	32.00		
Rotron	FE24H3 - 031165			24	1.20	2 Ball	27.00	3.12		28.90
Cooltron	FD8025B24W7-62				2.88	2 Ball	31.00	4.40		29.10
	FD8025B24W5-21	1.92			2 Ball	38.00	3.70	31.00		
	FD8025B24W7-82	2.88			2 Ball	42.20	3.00	34.60		
	FD8025B24W7-61	3.60	2 Ball		42.20	3.40	32.00			
Rotron	FE12B3 - 031162	80x80x25	12	2.00	2 Ball	37.00	5.92	36.20		
Cooltron	FD8025B12W9-21			3.00	2 Ball	50.20	6.00	38.30		
	FD8025B12W9-61			4.80	2 Ball	57.70	6.40	41.70		










**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	FE24B3 - 031163	80x80x25	24	2.00	2 Ball	37.00	5.92	36.20	 FD8025-21
Cooltron	FD8025B24W9-21			3.36	2 Ball	50.20	6.00	38.30	
Rotron	FE48B3 - 031962		48	2.90	2 Ball	37.00	5.92	36.20	
Cooltron	FD8025B48W3-62			6.24	2 Ball	40.50	5.90	37.80	
Rotron	FE48K3 - 032858			3.60	2 Ball	45.00	7.87	40.80	
Cooltron	FD8025B48W5-62			8.64	2 Ball	51.60	8.90	44.60	
Rotron	CR0812MB-D71-032720	80x80x15	12	1.80	2 Ball	22.00	2.08	26.00	 FD8015-82
	CR0812MB-C70-032728			1.90	2 Ball	22.10	2.16	25.40	
Cooltron	FD8015B12W1-81			1.80	2 Ball	30.20	2.90	30.50	
	FD8015B12W3-82			3.00	2 Ball	38.20	2.80	31.20	
	FD8015B12W7-71			2.04	2 Ball	31.10	2.50	33.50	
Rotron	CR0812HB-D71-032718			80x80x15	12	2.30	2 Ball	30.00	
Cooltron	FD8015B12W3-81	3.00	2 Ball			36.20	4.30	35.80	
	FD8015B12W5-82	4.20	2 Ball			43.70	4.00	35.00	
Rotron	CR0824MB-C70-032732	24	2.40		2 Ball	22.00	2.08	27.00	
Rotron	CR0824MB-D71-032724		3.10		2 Ball	22.10	2.16	25.40	
Cooltron	FD8015B24W1-81		2.40		2 Ball	30.20	2.90	30.50	
	FD8015B24W3-82		3.60		2 Ball	38.20	2.80	31.20	
	FD8015B24W7-71		3.36		2 Ball	31.10	2.50	33.50	
Rotron	CR0824HB-D71-032722		3.10		2 Ball	30.00	3.23	33.60	
Cooltron	FD8015B24W3-81	3.60	2 Ball		36.20	4.30	35.80		
	FD8015B24W5-82	6.00	2 Ball		43.70	4.00	35.00		


**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Rotron	CR0812HB-C70-032726	80x80x20	12	2.90	2 Ball	27.30	3.20	32.40	 FD8020-81	
Cooltron	FD8020B12W7-81			2.64	2 Ball	42.40	3.20	34.60		
	FD8020B12W5-71			2.04	2 Ball	32.30	3.00	28.00		
Rotron	CR0824HB-C70-032730		24	3.60	2 Ball	27.30	3.20	31.40		
Cooltron	FD8020B24W7-81			4.32	2 Ball	42.40	3.20	34.60		
	FD8020B24W5-71			2.40	2 Ball	32.30	3.00	28.00		
Rotron	CR0812LB-A70GL-032740	80x80x25	12	1.40	2 Ball	26.00	1.96	15.00	 FD8025-21	
Cooltron	FD8025B12W3-21			0.96	2 Ball	29.70	2.30	26.20		
	FD8025B12W5-62			0.96	3 Ball	25.00	2.40	27.20		
	FD8025B12W3-71			0.96	4 Ball	26.4	1.7	21.4		
	FD8025B12W5-61			1.92	5 Ball	34.4	2.3	27.2		
Rotron	CR0812MB-A70GL-032738			12	1.80	2 Ball	31.00	2.84	28.30	 FD8025-62
Cooltron	FD8025B12W7-62				1.32	2 Ball	31.00	4.40	29.10	
	FD8025B12W5-71				1.44	2 Ball	33.30	2.60	21.40	
	FD8025B12W5-21				1.56	2 Ball	38.00	3.70	31.00	
	FD8025B12W7-82				2.88	2 Ball	42.20	3.00	34.60	
	FD8025B12W7-85				2.88	2 Ball	32.40	3.50	29.20	
	FD8025B12W7-61				2.76	2 Ball	42.20	3.40	32.00	
Rotron	CR0812HB-A70GL-032736			12	3.00	2 Ball	38.00	3.99	34.40	 FD8025-82
Cooltron	FD8025B12W7-21				2.16	2 Ball	43.40	5.20	34.90	
	FD8025B12W9-82	4.08	2 Ball		50.70	4.90	39.00			
	FD8025B12W9-61	4.80	2 Ball		57.70	6.40	41.70			

**Cross List - Cooltron vs Comair Rotron**


Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Rotron	CR0812UB-A71GL-032734	80x80x25	24	5.40	2 Ball	50.00	5.16	41.00		
Cooltron	FD8025B12W9-21			3.00	2 Ball	50.20	6.00	38.30		
	FD8025B12W9-82			4.08	2 Ball	50.70	4.90	39.00		
	FD8025B12W9-61			4.80	2 Ball	57.70	6.40	41.70		
Rotron	CR0824LB-A70GL-032748				2.20	2 Ball	26.00	1.96	22.50	
Cooltron	FD8025B24W3-21			1.44	2 Ball	29.70	2.30	26.20		
	FD8025B24W5-62			2.88	3 Ball	25.00	2.40	27.20		
	FD8025B24W3-71			2.16	4 Ball	26.4	1.7	21.4		
	FD8025B24W5-61			2.88	5 Ball	34.4	2.3	27.2		
Rotron	CR0824MB-A70GL-032746				2.40	2 Ball	31.00	2.84	28.30	
Cooltron	FD8025B24W7-62			2.88	2 Ball	31.00	4.40	29.10		
	FD8025B24W5-71			2.88	2 Ball	33.30	2.60	21.40		
	FD8025B24W5-21			1.92	2 Ball	38.00	3.70	31.00		
	FD8025B24W7-82			2.88	2 Ball	42.20	3.00	34.60		
	FD8025B24W7-61			3.60	2 Ball	42.20	3.40	32.00		
Rotron	CR0824HB-A70GL-032744				3.80	2 Ball	38.00	3.99	34.40	
Cooltron	FD8025B24W7-21			2.40	2 Ball	43.40	5.20	34.90		
	FD8025B24W9-82			5.52	2 Ball	50.70	4.90	39.00		
Rotron	CR0824UB-A71GL-032742				6.20	2 Ball	50.00	5.16	41.00	
Cooltron	FD8025B24W9-21			3.36	2 Ball	50.20	6.00	38.30		
	FD8025B24W9-82	5.52	2 Ball	50.70	4.90	39.00				

**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Rotron	GDA9225-12BB	92x92x25	12	2.80	2 Ball	49.00	3.05	33.00		
Cooltron	FD9225B12W3-11			1.80	2 Ball	47.20	3.20	31.50		
	FD9225B12W7-81			3.84	2 Ball	55.70	3.50	33.20		
	FD9225B12W4-71			2.76	2 Ball	58.60	3.30	33.10		
Rotron	GDA9225-24BB		24	5.30	2 Ball	49.00	3.05	33.00		
Cooltron	FD9225B24W3-11			2.16	2 Ball	47.20	3.20	31.50		
	FD9225B24W7-81			4.32	2 Ball	55.70	3.50	33.20		
	FD9225B24W4-71			5.28	2 Ball	58.60	3.30	33.10		
Rotron	CR0912LB-A70GL-032764		92x92x25	12	1.40	2 Ball	36.00	2.21		25.00
Cooltron	FD9225B12W3-11				1.80	2 Ball	47.20	3.20		31.50
	FD9225B12W5-81				3.36	2 Ball	46.70	2.50		30.00
	FD9225B12W4-71				2.76	2 Ball	58.60	3.30		33.10
Rotron	CR0912MB-A70GL-032762				2.00	2 Ball	45.00	2.74		32.70
Cooltron	FD9225B12W3-11				1.80	2 Ball	47.20	3.20		31.50
	FD9225B12W5-81				3.36	2 Ball	46.70	2.50		30.00
	FD9225B12W4-71				2.76	2 Ball	58.60	3.30		33.10
Rotron	CR0912HB-A70GL-032760	4.10		2 Ball	50.00	3.18	35.00			
Cooltron	FD9225B12W7-81	3.84		2 Ball	55.70	3.50	33.20			
	FD9225B12W4-71	2.76		2 Ball	58.60	3.30	33.10			
	FD9225B12W5-11	2.64		2 Ball	55.10	4.40	36.90			
Rotron	CR0912UB-A71GL-032758	4.70	2 Ball	60.00	4.22	39.40				
Cooltron	FD9225B12W9-81	5.40	2 Ball	66.30	4.70	36.50				





**Cross List - Cooltron vs Comair Rotron**







Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Cooltron	FD9225B12W7-11	92x92x25	12	3.12	2 Ball	60.30	5.40	38.80	
Rotron	CR0924LB-A70GL-032772			1.80	2 Ball	36.00	2.21	26.50	
Cooltron	FD9225B24W3-11		2.16	2 Ball	47.20	3.20	31.50		
	FD9225B24W5-81		3.36	2 Ball	46.70	2.50	30.00		
	FD9225B24W4-71		5.28	2 Ball	58.60	3.30	33.10		
Rotron	CR0924MB-A70GL-032770		2.90	2 Ball	45.00	2.74	32.70		
Cooltron	FD9225B24W3-11		2.16	2 Ball	47.20	3.20	31.50		
	FD9225B24W5-81		3.36	2 Ball	46.70	2.50	30.00		
	FD9225B24W4-71		5.28	2 Ball	58.60	3.30	33.10		
Rotron	CR0924HB-A70GL-032768		3.60	2 Ball	50.00	3.18	35.00		
Cooltron	FD9225B24W7-81		4.32	2 Ball	55.70	3.50	33.20		
	FD9225B24W4-71		5.28	2 Ball	58.60	3.30	33.10		
	FD9225B24W5-11		2.88	2 Ball	55.10	4.40	36.90		
Rotron	CR0924UB-A71GL-032766		5.00	2 Ball	60.00	4.22	39.40		
Cooltron	FD9225B24W9-81		7.20	2 Ball	66.30	4.70	36.50		
	FD9225B24W7-11		3.84	2 Ball	60.30	5.40	38.80		
Rotron	FN05C3 - 031407		5	1.50	2 Ball	37.00	3.30	34.30	
Cooltron	FD9225B05W7-81			2.10	2 Ball	55.70	3.50	33.20	
Rotron	FN12C3 - 031170		12	1.50	2 Ball	37.00	3.30	34.30	
Cooltron	FD9225B12W3-11			1.80	2 Ball	47.20	3.20	31.50	
	FD9225B12W7-81	3.84		2 Ball	55.70	3.50	33.20		
	FD9225B12W4-71	2.76		2 Ball	58.60	3.30	33.10		




**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image		
Rotron	FN24C3 - 031171	92x92x25	24	1.50	2 Ball	37.00	3.30	34.30			
Cooltron	FD9225B24W3-11			2.16	2 Ball	47.20	3.20	31.50			
	FD9225B24W7-81			4.32	2 Ball	55.70	3.50	33.20			
	FD9225B24W4-71			5.28	2 Ball	58.60	3.30	33.10			
Rotron	FN12B3 - 031168		12	2.40	2 Ball	45.00	4.62	38.10			
Cooltron	FD9225B12W5-11			2.64	2 Ball	55.10	4.40	36.90			
	FD9225B12W9-81			5.40	2 Ball	66.30	4.70	36.50			
Rotron	FN24B3 - 031169		24	2.40	2 Ball	45.00	4.62	38.10			
Cooltron	FD9225B24W5-11			2.88	2 Ball	55.10	4.40	36.90			
	FD9225B24W9-81			7.20	2 Ball	66.30	4.70	36.50			
Rotron	FN48B3 - 031392		48	2.90	2 Ball	45.00	4.62	38.10			
Cooltron	FD9225B48W3-11			4.32	2 Ball	55.10	4.40	36.90			
	FD9225B48W9-81			9.60	2 Ball	66.30	4.70	36.50			
Rotron	WD12M3 - 030723		120x120x38	12	1.20	2 Ball	57.00	2.21		30.30	
	WD12H3 - 030719				2.10	2 Ball	65.00	2.87		34.90	
	WD12C3 - 030715				2.20	2 Ball	75.00	3.56		39.40	
Cooltron	FD1238B12W3-11	3.84			2 Ball	92.20	4.00	34.90			
	FD1238B12W3-81	6.00			2 Ball	100.10	4.10	37.20			
	FD1238B12W2-65	3.00			2 Ball	85.70	3.80	35.90			
	FD1238B12W2-61	3.00			2 Ball	85.70	3.80	35.90			



**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image		
Rotron	WD12B3 - 030709	120x120x38	12	3.10	2 Ball	85.00	4.60	41.40	 FD1238-11		
Cooltron	FD1238B12W5-11			5.04	2 Ball	110.90	6.00	39.80			
	FD1238B12W5-81			8.40	2 Ball	123.30	5.10	41.30			
	FD1238B12W3-65			4.80	2 Ball	103.40	5.40	39.80			
	FD1238B12W3-61			4.80	2 Ball	103.40	5.40	39.80			
Rotron	WD24M3 - 030725		24	24	1.40	2 Ball	57.00	2.21	30.30		
	WD24H3 - 030721				1.90	2 Ball	65.00	2.87	34.90		
	WD24C3 - 030717				2.40	2 Ball	75.00	3.56	39.40		
Cooltron	FD1238B24W3-11			3.60	2 Ball	92.20	4.00	34.90	 FD1238-61		
	FD1238B24W3-81			7.20	2 Ball	100.10	4.10	37.20			
	FD1238B24W2-65			4.80	2 Ball	85.70	3.80	35.90			
	FD1238B24W2-61			4.80	2 Ball	85.70	3.80	35.90			
Rotron	WD24B3 - 030711			24	24	3.10	2 Ball	85.00	4.60	41.40	 FD1238-65
Cooltron	FD1238B24W5-11					6.00	2 Ball	110.90	6.00	39.80	
	FD1238B24W5-81					9.60	2 Ball	123.30	5.10	41.30	
Cooltron	FD1238B24W3-65				7.20	2 Ball	103.40	5.40	39.80		
	FD1238B24W3-61	7.20			2 Ball	103.40	5.40	39.80			
Rotron	WD48B3 - 030713	48			48	4.30	2 Ball	85.00	4.60	41.40	 FD1238-81
Cooltron	FD1238B48W5-11					7.20	2 Ball	110.90	6.00	39.80	
	FD1238B48W5-81					14.40	2 Ball	123.30	5.10	41.30	
	FD1238B48W3-65					7.20	2 Ball	103.40	5.40	39.80	
	FD1238B48W3-61		7.20			2 Ball	103.40	5.40	39.80		


**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image		
Rotron	CR1212LB-A71GL-032780	120x120x25	12	2.90	2 Ball	72.00	2.31	34.40	 <p>FD1225-81</p> <p>FD1225-61</p>		
	FT12M3 -031176			1.30	2 Ball	60.00	2.57	34.30			
Cooltron	FD1225B12W3-81			4.8	2 Ball	88.2	2.5	36.1			
	FD1225B12W3-61			2.76	2 Ball	79.2	3.6	36.9			
Rotron	CR1212MB-A71GL-032778			4.00	2 Ball	80.50	2.90	38.00			
Cooltron	FD1225B12W5-81			7.2	2 Ball	106.9	3.6	41.2			
	FD1225B12W3-61			2.76	2 Ball	79.2	3.6	36.9			
Rotron	CR1212HB-A71GL-032776			4.40	2 Ball	85.20	3.33	39.10			
Cooltron	FD1225B12W5-81			7.2	2 Ball	106.9	3.6	41.2			
	FD1225B12W5-61			4.8	2 Ball	94.3	4.9	42.7			
Rotron	CR1212UB-A71GL-032774			6.00	2 Ball	98.60	4.52	43.30			
	FT12B3 - 031174			4.10	2 Ball	90.00	5.36	42.90			
Cooltron	FD1225B12W7-81			9.6	2 Ball	123.5	5.1	46.1			
	FD1225B12W5-61			4.8	2 Ball	94.3	4.9	42.7			
Rotron	CR1224LB-A71GL-032786			24	24	3.40	2 Ball	72.00		2.31	34.40
	FT24M3 - 031177					1.70	2 Ball	60.00		2.57	34.30
Cooltron	FD1225B24W3-81	4.8	2 Ball			88.2	2.5	36.1			
	FD1225B24W3-61	4.8	2 Ball			79.2	3.6	36.9			
Rotron	CR1224MB-A71GL-032784	4.10	2 Ball			80.50	2.90	38.00			
Cooltron	FD1225B24W5-81	7.2	2 Ball			106.9	3.6	41.2			
	FD1225B24W3-61	4.8	2 Ball			79.2	3.6	36.9			


**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	CR1224HB-A71GL-032782	120x120x25	24	5.80	2 Ball	85.20	3.33	39.10	 FD1225-81
Cooltron	FD1225B24W5-81			7.2	2 Ball	106.9	3.6	41.2	
	FD1225B24W5-61			8.4	2 Ball	94.3	4.9	42.7	
Rotron	FT24B3 - 031175			4.00	2 Ball	90.00	5.36	42.90	
Cooltron	FD1225B24W7-81			9.6	2 Ball	123.5	5.1	46.1	
	FD1225B24W5-61			8.4	2 Ball	94.3	4.9	42.7	
Rotron	FT48B3 - 031628		48	4.80	2 Ball	90.00	5.36	42.90	
Cooltron	FD1225B48W7-81			12	2 Ball	123.5	5.1	46.1	
Rotron	MC12E3 - 032140	120x120x32	12	2.20	Sleeve	60.00	3.35	39.70	 FD1232-11  FD1232-61
				MC12F3 - 030578	2.20	2 Ball	60.00	3.35	
Cooltron	FD1232S12W3-11			3.96	Sleeve/2 Ball	90.30	4.30	37.80	
	FD1232S12W3-61			3.84	Sleeve/2 Ball	95.80	7.10	42.70	
Rotron	MC12G3 - 032141			4.00	Sleeve	80.00	6.83	41.90	
	MC12H3 - 030576			4.00	2 Ball	80.00	6.83	41.90	
Cooltron	FD1232B48W5-11			6.24	Sleeve/2 Ball	102.00	6.20	41.20	
	FD1232B48W3-61			6.24	Sleeve/2 Ball	95.80	7.10	42.70	
Rotron	MC12J3 - 032167			6.60	Sleeve	91.00	8.26	46.40	
	MC12C3 - 030574			6.60	2 Ball	91.00	8.26	46.40	
	MC12A3 - 032207			7.90	Sleeve	102.00	8.89	47.80	
	MC12B3 - 032489			7.90	2 Ball	102.00	8.89	47.80	
Cooltron	FD1232B12W7-11			6.96	Sleeve/2 Ball	118.50	8.20	46.10	
	FD1232B12W5-61			6.00	Sleeve/2 Ball	109.80	8.90	46.60	


**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image	
Rotron	MC24E3 - 032142	120x120x32	24	2.40	Sleeve	60.00	3.35	39.70		
	MC24F3 - 030579			2.40	2 Ball	60.00	3.35	39.70		
Cooltron	FD1232B24W3-11			3.60	Sleeve/2 Ball	90.30	4.30	37.80		
	FD1232B24W3-61			3.84	Sleeve/2 Ball	95.80	7.10	42.70		
Rotron	MC24G3 - 032143			4.80	Sleeve	80.00	6.83	41.90		
	MC24H3 - 030577			4.80	2 Ball	80.00	6.83	41.90		
Cooltron	FD1232B48W5-11			6.24	Sleeve/2 Ball	102.00	6.20	41.20		
	FD1232B48W3-61			6.24	Sleeve/2 Ball	95.80	7.10	42.70		
Rotron	MC24J3 - 032168			5.50	Sleeve	91.00	8.26	46.40		
	MC24C3 - 030575			5.50	2 Ball	91.00	8.26	46.40		
	MC24A3 - 032208			6.70	Sleeve	102.00	8.89	47.80		
	MC24B1 - 032561			5.50	2 Ball	102.00	8.89	47.80		
Cooltron	FD1232B24W7-11			6.96	Sleeve/2 Ball	118.50	8.20	46.10		
	FD1232B24W5-61			5.28	Sleeve/2 Ball	109.80	8.90	46.60		
Rotron	MC48E3V - 032423			48	4.80	Sleeve	60.00	3.35		39.70
Rotron	MC48F3V - 030597				4.80	2 Ball	60.00	3.35		39.70
Cooltron	FD1232B48W3-11	4.32	Sleeve/2 Ball		90.30	4.30	37.80			
	FD1232B48W3-61	6.24	Sleeve/2 Ball		95.80	7.10	42.70			
Rotron	MC48G3V - 032420	7.20	Sleeve		80.00	6.83	41.90			
	MC48H3V - 030594	7.20	2 Ball		80.00	6.83	41.90			
Cooltron	FD1232B48W5-11	6.24	Sleeve/2 Ball		102.00	6.20	41.20			
	FD1232B48W3-61	6.24	Sleeve/2 Ball		95.80	7.10	42.70			

**Cross List - Cooltron vs Comair Rotron**




Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	MC48J3V - 032417	120x120x32	48	7.70	Sleeve	91.00	8.26	46.40	
	MC48C3V - 030591			7.70	2 Ball	91.00	8.26	46.40	
	MC48A3 - 032242			8.40	Sleeve	102.00	8.89	47.80	
	MC48B3 - 030573			8.40	2 Ball	102.00	8.89	47.80	
Cooltron	FD1232B48W7-11			9.12	Sleeve/2 Ball	118.50	8.20	46.10	
	FD1232B48W5-61			7.20	Sleeve/2 Ball	109.80	8.90	46.60	
Rotron	MS12C3 - 039094	120x120x38	12	5.40	2Ball	95.00	5.63	47.00	 <p>FD1238-61</p> <p>FD1238-81</p>
Cooltron	FD1238B12W3-81			6.00	2Ball	100.10	4.10	37.20	
	FD1238B12W5-11			5.07	2Ball	110.90	6.00	39.80	
	FD1238B12W3-61			4.80	2Ball	103.40	5.40	39.80	
Rotron	MS12B3 - 032525			7.00	2Ball	110.00	6.40	49.50	
Cooltron	FD1238B12W5-11			5.04	2Ball	110.90	6.00	39.80	
	FD1238B12W3-81			6.00	2Ball	100.10	4.10	37.20	
Rotron	MS12K3 - 039164			11.00	2Ball	127.00	10.03	53.40	
Rotron	GDA1238-12BB			7.20	2Ball	128.00	8.12	43.50	
Cooltron	FD1238B12W5-81			8.40	2Ball	123.30	5.10	41.30	
	FD1238B12W7-11			7.92	2Ball	129.30	7.80	43.70	
	FD1238B12W7-61			7.20	2Ball	130.40	8.00	45.60	
Rotron	MS12H3 - 039091			3.70	2Ball	84.00	4.49	N/A	
Cooltron	FD1238B12W2-61			3.00	2Ball	85.70	3.80	35.90	

**Cross List - Cooltron vs Comair Rotron**







Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	MS24H3 - 039092	120x120x38	24	4.00	2Ball	84.00	4.49	N/A	 <p>FD1238-11</p>
Cooltron	FD1238B24W2-61			4.80	2Ball	85.70	3.80	35.90	
Rotron	MS24C3 - 039095			5.90	2Ball	95.00	5.63	47.00	
Cooltron	FD1238B24W3-81			7.20	2Ball	100.10	4.10	37.20	
	FD1238B24W5-11			6.00	2Ball	110.90	6.00	39.80	
	FD1238B24W3-61			7.20	2Ball	103.40	5.40	39.80	
Rotron	GDA1238-24BB			14.40	2Ball	128.00	8.12	41.90	
Cooltron	FD1238B24W5-81			10.80	2Ball	123.30	5.10	41.30	
	FD1238B24W7-11			8.64	2Ball	129.30	7.80	43.70	
	FD1238B24W7-61			9.60	2Ball	130.40	8.00	45.60	
Rotron	MS24B3 - 032526			7.00	2Ball	110.00	6.40	49.50	
Cooltron	FD1238B24W5-11			6.00	2Ball	110.90	6.00	39.80	
	FD1238B24W3-81			7.20	2Ball	100.10	4.10	37.20	
Rotron	GDA1238-48BB			16.80	2Ball	128.00	8.12	41.90	
Cooltron	FD1238B48W5-81			14.40	2Ball	123.30	5.10	41.30	
	FD1238B48W7-11			7.20	2Ball	129.30	7.80	43.70	
	FD1238B48W7-61			9.60	2Ball	130.40	8.00	45.60	
Rotron	MS48B3 - 032527			7.40	2Ball	110.00	6.40	49.50	
Cooltron	FD1238B48W5-11	7.20	2Ball	110.90	6.00	39.80			
	FD1238B48W3-81	9.60	2Ball	100.10	4.10	37.20			






**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	GDA1225-12BB	125x125x25	12	4.80	2Ball	69.00	3.81	39.10	 FD1225-61
Cooltron	FD1225B12W2-81			2.16	2Ball	69.00	1.70	30.50	
	FD1225B12W2-61			2.16	2Ball	67.10	2.70	33.00	
Rotron	GDA1225-24BB		24	8.40	2Ball	69.00	3.81	39.10	
Cooltron	FD1225B12W2-61			3.12	2Ball	67.10	2.70	33.00	
Rotron	JQ12C4 - 031092	172x150x51	12	18.00	2Ball	205.00	15.62	49.00	 FD1751-61
Cooltron	FD1751B12W1-61			20.40	2Ball	218.20	20.60	54.30	
	FD1751B12W7-52			16.80	2Ball	209.10	16.20	50.40	
Rotron	JQ12B3-E2 - 039278			27.10	2Ball	235.00	20.62	54.30	
Cooltron	FD1751B12W3-61			28.80	2Ball	242.10	24.00	57.20	
	FD1751B12W9-52			22.80	2Ball	234.80	21.30	54.30	
Rotron	JQ24C3QDN - 031581		24	18.00	2Ball	205.00	15.62	49.00	 FD1751-52
Cooltron	FD1751B24W1-61			16.80	2Ball	218.20	20.60	54.30	
	FD1751B24W7-52			15.60	2Ball	209.10	16.20	50.40	
Rotron	JQ24B3 - 031674			24.00	2Ball	235.00	20.62	54.30	
Cooltron	FD1751B24W3-61			22.80	2Ball	242.10	24.00	57.20	
	FD1751B24W9-52			20.88	2Ball	234.80	21.30	54.30	
Rotron	JQD24K3E - 041044			43.00	2Ball	285.00	30.48	58.00	
Cooltron	FD1751B24W7-61			43.20	2Ball	280.80	32.40	62.10	
Rotron	JQD24Z3E - 041046			32.00	2Ball	305.00	38.10	62.10	
Cooltron	FD1751B24W9-61	55.20	2Ball	315.60	41.10	65.00			



**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	JQ48B3 - 039574	172x150x51	48	22.00	2Ball	235.00	20.62	54.30	
Cooltron	FD1751B48W3-61			24.00	2Ball	242.10	24.00	57.20	
	FD1751B48W9-52			24.00	2Ball	234.80	21.30	54.30	 FD1751-61
Rotron	JQ48C4 - 031094			19.00	2Ball	205.00	15.62	49.00	
Cooltron	FD1751B48W1-61			19.20	2Ball	218.20	20.60	54.30	
	FD1751B48W7-52			16.80	2Ball	209.10	16.20	50.40	 FD1751-52
Rotron	JQD48K3E - 041050			43.00	2Ball	285.00	30.48	58.00	
Cooltron	FD1751B48W7-61			36.00	2Ball	280.80	32.40	62.10	
Rotron	JQD48Z3E - 041052			32.00	2Ball	305.00	38.10	60.00	
Cooltron	FD1751B48W9-61			57.60	2Ball	315.60	41.10	65.00	
Rotron	CLE2L2 - 020188	254x89	115 (60Hz)	60.00	2 Ball	525.00	8.40	49.20	
Cooltron	FA2589B11T7C-51			43.00	2 Ball	566.50	10.90	50.40	
	FA2589B11T9C-51			143.00	2Ball	802.00	15.40	63.20	
	FA2589B11T9C-31			78.00	2Ball	659.20	10.10	57.20	
	FA2589B11T11C-31			110.00	2Ball	875.50	17.50	85.40	 FA2589C-31   FA2589C-51


**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	MA2B3 - 031842	172x150x55	115 (60Hz)	36.00	2 Ball	282.00	21.30	56.50	
Cooltron	FA1755B11T7C-31			50.00	2 Ball	301.80	20.60	59.20	
	FA1755B11T7C-51			43.00	2 Ball	252.40	19.40	51.40	
Rotron	MR2B3 - 028245	172x150x51	115 (60Hz)	31.00	2 Ball	231.00	19.50	56.60	
Cooltron	FA1751B11T7C-31			50.00	2 Ball	301.80	20.60	59.20	
	FA1751B11T7C-52			30.00	2 Ball	242.10	21.60	57.20	
Rotron	PT2B3 - 028254	172x51	115 (60Hz)	31.00	2 Ball	230.00	19.60	54.00	
Cooltron	FA1751B11T7C-51			30.00	2 Ball	242.10	6.50	57.20	

**Cross List - Cooltron vs Comair Rotron**



Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	ME2B3 - 039019	172x150x38	115 (60Hz)	31.00	2 Ball	203.00	19.30	59.70	
Cooltron	FA1738B11T7C-51			30.00	2 Ball	242.10	19.60	57.20	
	FA1738B11T7C-31			31.00	2 Ball	203.90	20.10	59.20	
	FA1738B11T7C-32			31.00	2 Ball	203.80	20.10	59.20	
Rotron	MR2D3 - 032118	172x150x51	115 (60Hz)	16.00	2 Ball	114.00	5.40	40.00	
Cooltron	FA1751B11T5C-52			16.00	2 Ball	118.80	6.00	42.90	
	FA1751B11T5-61			27.00	2 Ball	164.80	7.20	49.50	

**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	MU2B1 - 028027	120x120x38	115 (60Hz)	14.00	2 Ball	102.00	7.50	45.10	
Cooltron	FA1238B11T7-51			16.00	2 Ball	108.20	8.00	52.40	
	FA1238B22T9C-31			21.00	2 Ball	133.90	12.90	45.60	
	FA1238B22T7C-31			12.00	2 Ball	112.30	6.70	41.70	
Rotron	MX2B1 - 028420			15.00	2 Ball	105.00	5.66	47.60	
Cooltron	FA1238B11T7-51			16.00	2 Ball	108.20	8.00	52.40	
	FA1238B11T9-51			13.00	2 Ball	118.50	10.10	53.40	
	FA1238B11T9C-31			21.00	2 Ball	133.90	12.90	45.60	
	FA1238B11T7C-31			12.00	2 Ball	112.30	6.70	41.70	
Rotron	WX2H1 - 028858			13.00	2 Ball	85.00	4.40	37.10	
Cooltron	FA1238B11T5-51			13.00	2 Ball	92.70	5.20	42.70	
Rotron	WR2H1 - 027119			10.00	2 Ball	72.00	3.25	37.60	
Cooltron	FA1238B11T3-51			11.00	2 Ball	77.30	5.40	37.80	
Rotron	WX2H1 - 028858			13.00	Sleeve	85.00	4.42	37.10	
Cooltron	FA1238S11T3-61			13.00	Sleeve	93.70	4.40	36.90	
Rotron	WR2H1 - 027119			10.00	Sleeve	72.00	3.25	37.60	
	WR2H2 - 027120			10.00	Sleeve	72.00	3.25	37.60	
	WR2H4 - 030082			10.00	Sleeve	72.00	3.25	37.60	
	FA1238S11T3-61	13.00	Sleeve	93.70	4.40	36.90			

\*\*COMAIR ROTRON IS REGISTERED TRADEMARK OF COMAIR ROTRON, INC.

**Cross List - Cooltron vs Comair Rotron**

Model No.		Fan Size (mm)	Rated Voltage (V)	Power (W)	Bearing Type	Air Flow (CFM)	Static Pressure (mmH2O)	Noise (dBA)	Product Image
Rotron	WR2M1 - 028291	120x120x38	115 (60Hz)	6.80	Sleeve	66.00	2.49	33.30	 FA1238-60
	WR2M2 - 030104			6.80	Sleeve	66.00	2.49	33.30	
	WR2M4 - 030480			6.80	Sleeve	66.00	2.49	33.30	
Cooltron	FA1238S11T2-60			10.00	Sleeve	63.00	2.17	32.35	
	FA1238S11T3-60			9.00	Sleeve	76.50	4.22	38.23	
Rotron	WR2A1 - 027117			7.00	Sleeve	56.00	1.78	33.90	
	WR2A2 - 027118			7.00	Sleeve	56.00	1.78	33.90	
	WR2A3 - 028504			7.00	Sleeve	56.00	1.78	33.90	
Cooltron	FA1238S11T2-60			10.00	Sleeve	63.00	2.17	32.35	
Rotron	BT2B1 - 028454	121x121x37	115 (60Hz)	14.50	2 Ball	22.00	12.88	49.60	
Cooltron	FBA1237B11T5-51			19.50	2 Ball	24.00	14.67	N/A	
Rotron	BT3B1 - 028732		220 (60Hz)	14.50	2 Ball	22.00	12.88	49.60	
Cooltron	FBA1237B22T5-51			19.50	2 Ball	24.00	14.67	N/A	